


# SIMONA® CELPLAST® -LIGHT, STURDY, MULTIFUNCTIONAL

Are you looking for an innovative yet versatile solution for your design ideas? Then SIMONA® CELPLAST® is the ideal choice. The rigid PVC sheet, manufactured using the Celuka process, offers a wide range of impressive properties and universal applications. SIMONA® CELPLAST® can be machined and processed readily with standard tools and is the perfect complement to our product range for the building and advertising sectors.



# A GENUINE **ALL-ROUNDER**



SIMONA® CELPLAST® is the product of choice wherever compact surfaces and ease of handling are a must. Offering the benefits associated with efficient and versatile processing, the rigid PVC sheet features a smooth and compact outer skin. Despite its low weight, it boasts enormous stability and a high-quality finish.

#### **UNLIMITED CREATIVITY**

Thanks to its low weight and easy processing, SIMONA® CELPLAST® is ideal for creating customised installations. Its attractive appearance and effortless handling take your designs to the next level. SIMONA® CELPLAST® 2542 is available in two variants: CELPLAST® 9002 for indoor and CELPLAST® 2542 for outdoor applications – offering the right solution for a wide range of requirements.

#### **COST-EFFECTIVE AND FLEXIBLE**

PVC Foam Sheets are a smart, cost-effective alternative to traditional materials - ideal for both indoor and outdoor applications. They enable faster, more flexible execution of new builds and renovations across a wide range of

From exhibition and shop fitting to container and vehicle interiors, furniture manufacturing, and door and window installations, all the way to outdoor signage and shipbuilding CELPLAST® stands out for its versatility and reliable

Thanks to its high durability, moisture resistance, and easyto-clean surface, CELPLAST® unlocks new design possibilities. Its excellent stability and lightweight composition help reduce labor and transport costs - while its ease of processing and handling puts no limits on your creativity.

# WIDE RANGE OF APPLICATIONS

#### CONSTRUCTION

- Room interiors and design
- Interior fittings
- Furniture
- Bathrooms and wet areas
- · Balcony panelling

#### **EXHIBITION STANDS. SHOP & POS DESIGN**

- Shelving
- Cabinets
- · Display design
- · Signage (screen printing/foil lamination)

#### CLADDING AND LINING FOR


- · Vehicle interiors
- · Camper vans, caravans
- Boat and shipbuilding
- Model building
- Ambulances

#### MOBILE LIVING AND WORKING

Container lining



- Mobile homes





### **IMPRESSIVE ACROSS THE BOARD**

- High rigidity and stability
- High-quality, satin-finished, hard surface
- Suitable for indoor (CELPLAST® 9002) and outdoor use (CELPLAST® 2542)
- Extremely light and easy to handle
- Strong and durable
- Moisture- and mould-resistant
- Insect- and pest-resistant
- Easy to clean thanks to homogeneous hard surface
- Low water absorption and no swelling
- Chemical and corrosion resistant
- · Good insulation properties (low conductivity, high insulation values)
- Good fire behaviour (low flammability, no burning droplets)
- 100% recyclable



## **SUPERIOR PROCESSING OPTIONS**











Backing,

laminating



Screwing







Drilling















Hot forming

Cutting

# WHAT MAKES SIMONA® CELPLAST® SO STURDY?

SIMONA® CELPLAST® is produced in what is known as the Celuka process. This manufacturing technique delivers a light, rigid PVC sheet with a smooth and compact surface structure. SIMONA® CELPLAST® offers a very narrow thickness tolerance over its entire width and is therefore exceptionally flat. Even in the centre of the sheet, this innovative construction material has a fine, high-quality foam structure. This makes the sheets very sturdy despite their low weight.

### **Product range**

SIMONA® CELPLAST® 9002 (Standard white)

Extruded sheet (dimension/thickness in mm)

	3,050 x 1,220	10 to 24
	3,050 x 1,560	10 to 19

Protective film on one side / Non-standard sizes on request

#### SIMONA® CELPLAST® 2542 (similar to RAL 9016)

#### Extruded sheet (dimension/thickness in mm)

3,000 x 1,250	10 to 24
3,000 x 1,560	10 to 19

Protective film on both sides / Non-standard sizes on request

# **TECHNICAL DATA**

Density, g/cm³, DIN EN ISO 1183	0.50
Tensile modulus of elasticity, MPa	600
Yield stress, MPa, DIN EN ISO 527	9
Elongation at yield, %, DIN EN ISO 527	12
Flexural modulus of elasticity, MPa, DIN EN ISO 178	900
Flexural strength, MPa, DIN EN ISO 178	18
Impact strength, kJ/m², DIN EN ISO 179	8
Shore hardness D (15 s), DIN EN ISO 868	60
Ball indentation hardness, MPa, DIN EN ISO 2039-1	15
Resistance to withdrawal of screws (edge), N, based on DIN EN 320	4,500
Resistance to withdrawal of screws (surface), N, based on DIN EN 320	1,500 - 2,400
Mean coefficient of linear thermal expansion, K <sup>-1</sup> , ISO 11359-2	0.7 x 10 <sup>-4</sup>
Surface resistivity, Ohm, DIN EN 61340	≥ 10 <sup>13</sup>
Temperature range, °C	0 to +60
Fire behaviour DIN EN 13501-1	B s2 d0
Fire behavior NF P 92-501	M1*

All specifications are deemed to be approximate values in respect of the specific material and may vary depending on the processing methods used. Suitability of materials for a specific field of application must be assessed by the party responsible for processing or the end-user. All technical specifications presented herein are designed merely to provide assistance in terms of project planning. They do not constitute a guarantee of specific properties or qualities.

\* CELPLAST® 2542: 10, 19, 24 mm

# **GLOBAL THERMOPLASTIC SOLUTIONS**

Points of contact and more:

simona.de/worldwide



**SUSTAINABILITY** 

Rigid PVC sheets are a very durable

therefore do not have to be labelled

as such. Foamed PVC sheets do not

contain any substances classified

as SVHC, plasticisers or biocides.

Foamed PVC sheets can be readily

processes and can therefore be easily returned to the closed-loop

More information on disposing of SIMONA® CELPLAST® is provided in the "Safety Data Sheet as per 1907/2006/ EC Article 31", which you will find in the download centre on our website.

material cycle.

recycled using standard PVC recycling

product. They do not contain any

hazardous toxic substances and

# SIMONA PLASTECH Lev. San. A.Ş.

Organize Sanayi Bölgesi Istiklal Mahallesi 1 Cadde No:5 Beyköy - Düzce Türkiye

Phone +90 380 553 80 08 Fax +90 380 553 80 11 plastech@simona-group.com www.simona-plastech.com

#### SIMONA AG

Teichweg 16 55606 Kirn Germany

Phone +49 6752 14-0 Fax +49 6752 14-211 mail@simona-group.com www.simona.de



